



Well-Child Check-up REMINDER



To the parents of:

Your child may be due for a well-child check-up. Doctors recommend infants and toddlers have 12 check-ups by age 3. Your child should have a check-up at the following ages:

3-5 Days	1 Months	2 Months	4 Months
6 Month	9 Months	12 Months	15 Months
18 Months	24 Months	30 Months	36 Months



Well-child check-ups help identify health concerns early and keep your child healthy. In addition, your child may be due for a recommended vaccine. Vaccines can help prevent serious health problems including diseases that can be fatal.



You can schedule a check-up by contacting your child's Primary Care Provider (PCP). If you think your child may be behind on his or her vaccines, you should discuss whether any additional vaccines are needed with your child's PCP. Check-ups are also a good time to discuss with your child's PCP any stress, questions, or concerns you have as a parent of a young child.



Topical fluoride applications are recommended for children ages 1-3 years of age and can be applied at a dentist appointment or a well-child check-up. Make sure to ask your child's PCP about topical fluoride to ensure your child receives it.

Dental check-ups are also covered as part of your child's Medicaid/CHIP coverage. Dentists recommend children have a dental check-up around age 1 and every 6 months after that. To find a dentist near you visit <https://www.insurekidsnow.gov/find-a-dentist/index.html>.

Well-child check-ups, dental check-ups and vaccines are covered as part of your child's Medicaid/CHIP coverage at no cost to you.




South Dakota
Department of
Social Services

Department of Social Services - Division of Medical Services
700 Governors Drive, Pierre, SD 57501
Ph: 800.597.1603 | Fax: 605.773.5246
dss.sd.gov/medicaid/recipients/

0 to 3-year-old WELL-CHILD CHECK-UPS

WELL VISIT AND IMMUNIZATION ROAD MAP



Vaccine	Birth	1 month	2 months	4 months	6 months	12 months	15 months	18 months	19-23 months	2-3 years
HepB (Hepatitis B)	1st dose	2nd dose			3rd dose					
RV* (Rotavirus)			1st dose	2nd dose	3rd dose*					
DTap (Tetanus, diphtheria, pertussis)			1st dose	2nd dose	3rd dose		4th dose			
Hib* (Haemophilus influenzae type b)			1st dose	2nd dose	3rd dose*	Booster				
PCV (Pneumococcal)			1st dose	2nd dose	3rd dose	4th dose				
IPV (Polio)			1st dose	2nd dose	3rd dose					
COVID 19* (Coronavirus disease)					2 or 3 dose series and booster*					
Flu (Influenza)					1 or 2 doses yearly					
MMR (Measles, Mumps, Rubella)						1 dose				
Varicella (Chickenpox)						1 dose				
HepA (Hepatitis A)						2 doses				

If your child is behind on immunizations speak with your provider about a modified schedule.

* Not all manufacturers require this dose, speak with your provider about your child's needed immunizations